

## Susumu Kitagawa

Deputy Director-General of Institute for Advanced Study, Distinguished Professor, and iCeMS Director, Kyoto University

# Past, Present And Future of Porous Coordination Polymers (PCPs) / Metal-Organic frameworks (MOFs)

Metal-organic frameworks (MOFs) or porous coordination polymers (PCPs), possess inherent voids which allow the storage, delivery, and separation of substances, in particular, gases. Among them, 3<sup>rd</sup> generation MOFs, called flexible MOFs or soft porous crystals (SPCs) exhibit a structural change from crystal to crystal in response to physical and crystalline stimuli, a feature that distinguishes them from other porous materials, reminiscent of the induced fit mechanism of bioenzymes and the cooperative phenomenon of hemoglobin.<sup>1</sup> In contrast to rigid materials showing a Langmuir type I isotherm, SPCs possess a sigmoidal isotherm and higher usable capacity and efficient recognition of guest species. The flexibility does not only depend on the binding capacity and mobility of unit ligands and metal ions, but also on other factors, including the deformation of the entire framework as a result of the guest molecules in the pores. Strategies using ligand functionalization have been developed to investigate the properties, but have been mainly focused on the discovery and understanding of phenomena in SPCs. This trend has now shifted towards the control of the adsorption properties for practical applications. This talk provides a basic and accessible overview of the historical background of the chemistry of SPCs, their features, and outlook as 4<sup>th</sup> generation MOFs,<sup>2,3</sup> in particular, design and synthesis, dynamic structure analysis, flexibility and function, and theoretical treatment and interpretation of the mechanism, as well as their applications.

1. S.Horike, *et al.*, *Nat.Chem.*,2009,1,695. Review article.
2. S.Kitagawa, *Acc.Chem.Res.*, **2017**,50,514.
3. S. Kraus, N.Hosono, and S.Kitagawa, *Angew.Chem.Int.Ed.*, **2020**.59.15325.

Ph.D. in Engineering, Kyoto University. **Kitagawa** graduated from Kyoto University, served as Associate Professor at Kindai University, Professor at Tokyo Metropolitan University, Professor at Kyoto University in 1998, Director of iCeMS from 2013, and appointed as Distinguished Professor at KUIAS in 2017.Kitagawa developed "porous" materials with numerous nano-sized holes. These materials are expected to be used for the development of new materials to absorb carbon dioxide causing global warming, and for medical applications.He was selected as a Thomson Reuters Citation Laureate in 2010, and Thomson Reuters / Clarivate Analytics Highly Cited Researcher in 2014 – 2020. He received the Medal with Purple Ribbon (The Japanese Government) in 2011, the Japan Academy Prize in 2016, the Chemistry for the Future Solvay Prize in 2017, Grand Prix of the Fondation de la maison de la chimie, France in 2018, and was elected as a member of the Japan Academy in 2019.